

Low Voltage

Intelligent gel solutions

Non-labelled gel casting compounds for protection and insulation of electrical connections up to 1 kV

We connect your energy





EXPRESS GEL



POWER GEL



JUMBO GEL



CLEAR GEL



SUPRA GEL



SOFT GEL



FLOW GEL



EXPRESS GEL

2-component shaking gel in bottles with only 5 seconds of mixing time

Product benefits

- Fastest workable gel casting compound of all marketable gels
- Easiest handling
- Innovative mixing system by shaking
- Unique indication of the completed mixing reaction by color change

Application areas

- For extremely fast casting
- Fast-repair-solution
- Temporary applications

Product	Content	ArtNo.
EXPRESS GEL 400	400 ml	364845



Bottles

Cans

Mixing bag

Cartridge

Plastic tin



POWER GEL

2-component gel in bottles, individually dosable all-in-one solution with mixing cup and spatula

Product benefits

- User-friendly complete system
- Individually dosable
- Flexible and very efficient
- Reclosable bottles allow multiple applications and storage

Application areas

- For flexible casting
- Ideal for branch and connection boxes
- Protection class IP 68 in suitable housing

Product	Content	ArtNo.
POWER GEL 400	400 ml	335120
POWER GEL 1000	1000 ml	335121



Bottles



JUMBO GEL

2-component gel in cans for economical casting of big quantities

Product benefits

- · Particularly cost-effective and efficient
- Individually dosable
- Mixable in standard bucket
- Reclosable cans allow multiple applications and storage

Application areas

- For flexible casting
- Ideal for large junction boxes or serial casting
- Protection class IP 68 in suitable housing

Product	Content	ArtNo.
JUMBO GEL 2000	2000 ml	364306
JUMBO GEL 5000	5000 ml	364307
JUMBO GEL 10000	10000 ml	364308
ZS-JUMBO GEL 5500	Bucket, spatula	366512
ZS-JUMBO GEL 12000	Bucket, spatula	366513





CLEAR GEL

2-component gel in mixing bags, high transparent for versatile applications

Product benefits

- · Permanently high transparent
- Very simple, absolutely clean mixture of the gel components
- Also available with small volumes (starting from 80 ml)
- Automatically reclosing, e. g. the canal after using test pins

Application areas

- Ideal for opto-electronic applications
 (e. q. LED profiles)
- Branch and connection boxes
- Protection class IP 68
 in suitable housing

Product	Content	ArtNo.
CLEAR GEL 80	80 ml	364031
CLEAR GEL 150	150 ml	364032
CLEAR GEL 250	250 ml	364033
CLEAR GEL 350	350 ml	364034
CLEAR GEL 500	500 ml	364035





SUPRA GEL

2-component gel, ready to use in cartridge for small housing volumes

Product benefits

- Mixing and casting in a single step
- · Clean processing and exact dosing
- Reclosable cartridge allows multiple applications and storage
- Gel cartridge suitable for use with standard caulking gun

Application areas

- For narrow work situations
- Branch and connection boxes, mainly in difficult access areas
- Protection class IP 68 in suitable housing

Product	Content	ArtNo.
SUPRA GEL	250 ml	364036
Static mixer SUPRA GEL	1 piece	366780





SOFT GEL

1-component gel, ready to use in cartridge with special application range

Product benefits

- Extremely sticky and drip-free, re-accessible and repositionable
- Avoids insects from intrusion of casted electrical installation/surface
- Reclosable cartridge allows multiple applications and storage
- Gel cartridge suitable for use with standard caulking gun

Application areas

- Electrical installations endangered by insects
- Corrosion protection
- Temporary protection, e. g. of open sockets or plugs

Product	Content	ArtNo.
SOFT GEL	310 ml	364723





FLOW GEL

1-component gel, ready to use in plastic tin with permanent flowability

Product benefits

- · Individually dosable
- Dosing and processing by hand
- Self-leveling and permanent flowable
- Removable, re-accessible and repositionable

Application areas

- cover horizontally arranged surfaces and complex contours
- Protection of circuit boards and displays
- Protection against dust and moisture

Product	Content	ArtNo.
FLOW GEL 400	400 g	365280
FLOW GEL 1000	1000 g	365281



Cellpack AG | Electrical Products

Anglikerstrasse 99 | 5612 Villmergen | Switzerland

Tel. +41 56 6181 818 | Fax +41 56 6181 245 EPSalesExport@cellpack.com



Further information on our products: electricalproducts.cellpack.com

www.cellpack.com

We connect your energy

