



INSTALLER'S SPECIAL

We connect your energy

CELLPACK
Electrical Products

a BBC group company

Cellpack
Electrical
Products



Systems For
Professionals




Technology &
Innovation




Quality &
Service



SMH




		L1 mm	mm ²	
SMH1	10-25	300	10 - 25	
	35-70	400	35 - 70	
	95-240	500	95 - 240	
	150-300	500	150 - 300	
	300-500	600	300 - 500	
SMH3	1.5-16	400		1.5 - 16
	6-25	500		6 - 25
	25-70	700		25 - 70
	95-150	850		95 - 150
	185-300	1100		185 - 300






SMH




		L1 mm	mm ²	
SMH4	1.5-6	200	1.5 - 6	
	1.5-16	400	1.5 - 16	
	6-25	500	6 - 25	
	16-50	600	16 - 50	
	25-95	600	25 - 95	
	25-150	700	25 - 150	
	95-300	1000	95 - 300	
SMH5	1.5-6	250		1.5 - 6
	1.5-10	250		1.5 - 10
	1.5-16	400		1.5 - 16
	16-25	500		16 - 25
	35-95	500		35 - 95
	120-240	800		120 - 240





SMH




		L1 mm		mm ²
SMH	7/10 1.5-2.5	330	7 - 10	1.5 - 2.5
	12/14 1.5-2.5	500	12 - 14	1.5 - 2.5
	18/24 1.5-2.5	500	18 - 24	1.5 - 2.5
	30/30 1.5-2.5	600	30 - 30	1.5 - 2.5
	34/40 1.5-2.5	600	34 - 40	1.5 - 2.5






SMHSV




		L1 mm	mm ²	
SMHSV4	6-50	500	6 - 50	
	16-95	650	16 - 95	
	50-150	800	50 - 150	
	95-240	1000	95 - 240	
	240-400	1100	240 - 400	
SMHSV5	6-50	800		6 - 50
	16-95	900		16 - 95
	50-150	1000		50 - 150
	95-240	1200		95 - 240






SMH...V



		L1 mm	mm ²	
SMH4	1.5-6 V	250	1,5 - 6	
	6-35 V	400	6 - 35	
	25-70 V	550	25 - 70	
	70-150 V	700	70 - 150	
SMH5	1.5-6 V	250		1,5 - 6
	6-35 V	500		6 - 35





EASY-FIX

		 3x	 5x
		mm ²	
SRMH	3	1,5 - 2,5	
	5		1,5 - 2,5






SB 2:1

		L mm	D mm	D* mm	W* mm	
SB	1.2-0.6	15	1.2	0.6	0.41	1
	1.6-0.8	15	1.6	0.8	0.43	1
	2.4-1.2	15	2.4	1.2	0.51	1
	3.2-1.6	15	3.2	1.6	0.51	1, 2, 3
	4.8-2.4	10	4.8	2.4	0.51	1, 2, 3
	6.4-3.2	10	6.4	3.2	0.64	1, 3
	9.5-4.8	10	9.5	4.8	0.64	1, 2, 3
	12.7-6.4	8	12.7	6.4	0.64	1, 2, 3
	19.1-9.5	7	19.1	9.5	0.76	1, 2, 3
	25.4-12.7	4	25.4	12.7	0.89	1, 2, 3

1          2  3 



SB 3:1


CELLPACK
Electrical Products

		L mm	D mm	D* mm	W* mm	
SB	1.5-0.5	15	1.5	0.5	0.45	1
	3.0-1.0	15	3	1	0.55	1, 2
	6.0-2.0	10	6	2	0.65	1, 2
	9.0-3.0	10	9	3	0.75	1, 2
	12.0-4.0	8	12	4	0.75	1, 2
	18.0-6.0	7	18	6	0.75	1, 2
	24.0-8.0	4	24	8	1.00	1, 2



SRH2


		L mm	D mm	D* mm	W* mm
SRH2	8-2	1	8	2	1.7
	12-3	1	12	3	2.2
	22-6	1	22	6	2.6
	34-7	1	34	7	2.6
	40-12	1	40	12	2.6
	56-16	1	56	16	2.7
	63-19	1	63	19	2.8
	75-22	1	75	22	3
	95-26	1	95	26	3.2
	120-34	1	120	34	3.3
	140-42	1	140	42	3.5
	160-50	1	160	50	3.5





SRH3



		L mm	D mm	D* mm	W* mm
SRH3	12-3	1	12	3	2.6
	16-4	1	16	4	3.1
	22-6	1	22	6	2.7
	33-8	1	33	8	4
	45-12	1	45	12	4.4
	55-15	1	55	15	4.4
	75-20	1	75	20	4.5
	92-25	1	92	25	4.6
	130-34	1	130	34	4.8
	160-50	1	160	50	4.6





SKH



		L mm	L* mm	D mm	D* mm	W* mm
SKH	10-4	45	33	10	4	2
	15-5	45	45	15	5	2
	22-9	75	70	22	9	2.5
	35-15	100	95	35	15	3
	55-25	150	140	55	25	3.5
	75-30	165	155	75	30	3.5
	95-40	175	155	95	40	4
	110-45	145	130	110	45	4





SEH


		L1 mm	L1* mm	L2 mm	D1 min. mm	D1 max. mm	D2 min. mm	D2 max. mm	W* mm	Ø mm ²
SEH2	30-10	65	90	15	30	10	12	4	1.5	2.5 - 25
	50-24	85	120	25	50	24	21	7	3	25 - 120
	60-20	90	130	40	60	20	36	18	3	95 - 150
SEH3	25-9	50	70	15	25	9	9	3	2.5	1.5 - 16
	35-15	85	100	20	35	15	13	4	2.5	6 - 35
	55-23	130	170	30	55	23	25	9	3	35 - 150
	75-28	170	200	40	75	28	35	13	3.5	120 - 300
	110-35	180	210	45	110	35	50	17	4	185 - 400
	125-59	185	260	50	125	59	60	24	3.5	240 - 500
SEH4	28-9	55	70	15	28	9	8	2	2	1.5 - 10
	35-15	80	100	20	35	15	13	4	2.5	6 - 35
	47-23	130	170	30	47	23	20	8	3.5	35 - 95
	60-25	160	180	30	60	25	25	8	3.5	35 - 150
	78-36	170	220	40	78	36	30	12	3.5	95 - 240
	95-36	170	220	45	96	36	35	14	4	120 - 300
	150-55	185	240	50	150	55	55	25	4.2	240 - 500
SEH5	65-15	82	100	31	65	15	22	3	4	4 - 70
	80-33	150	175	53	80	33	26	8	3	35 - 150
	100-42	170	190	60	100	42	34	10	3	95 - 240




SRMAHV


		D mm	D* mm	D* min. mm	D* max. mm	W* mm
SRMAHV	28-10 / 250	32	10	10	28	2.3
	28-10 / 500	32	10	10	28	2.3
	28-10 / 750	32	10	10	28	2.3
	28-10 / 1000	32	10	10	28	2.3
	43-12 / 250	52	12	12	43	3.4
	43-12 / 500	52	12	12	43	3.4
	43-12 / 750	52	12	12	43	3.4
	43-12 / 1000	52	12	12	43	3.4
	43-12 / 1500	52	12	12	43	3.4
	72-18 / 250	82	18	18	72	3.4
	72-18 / 500	82	18	18	72	3.4
	72-18 / 750	82	18	18	72	3.4
	72-18 / 1000	82	18	18	72	3.4
	72-18 / 1500	82	18	18	72	3.4
	72-18 / 2000	82	18	18	72	3.4
	93-26 / 250	105	26	26	93	3.4
	93-26 / 500	105	26	26	93	3.4
	93-26 / 750	105	26	26	93	3.4
	93-26 / 1000	105	26	26	93	3.4
	93-26 / 2000	105	26	26	93	3.4
	115-30 / 250	130	30	30	115	2.3
	115-30 / 500	130	30	30	115	2.3
	115-30 / 750	130	30	30	115	2.3

		D mm	D* mm	D* min. mm	D* max. mm	W* mm
SRMAHV	115-30 / 1000	130	30	30	115	2.3
	115-30 / 1500	130	30	30	115	2.3
	125-32 / 250	143	32	32	125	2.3
	125-32 / 500	143	32	32	125	2.3
	125-32 / 750	143	32	32	125	2.3
	125-32 / 1000	143	32	32	125	2.3
	125-32 / 1500	143	32	32	125	2.3
	198-50 / 1000	220	50	50	198	2.3




MR 0

										
		L mm	D mm	H mm	max. Ø mm	mm ²				
MR	02	120	26	40	16	25	6	4	2.5	1.5
	05	180	26	40	16	25	6	4	4	2.5




		L mm	D mm	H mm	max. Ø mm		
MR	02	120	26	40	16	8	5
	05	180	26	40	16	16	8






M

										
					1x	2x	3x	4x	5x	
	L mm	D mm	H mm	max. Ø mm	mm ²					
M	0	185	32	37	15	25	10	6	6	4
	1	240	40	45	22	95	25	16	16	10
	2	265	45	50	30	185	50	35	25	16
	2,5	310	58	65	37	300	70	70	50	35
	3	355	70	80	42	400	120	95	70	50
	4	430	90	98	52	500		120	95	70
	5	550	110	120	62	1000		240	185	120
	6	660	145	165	80			300	240	185
7	900	150	190	90			400	300	240	
										
					3x	4x	3x	4x		
M	1	240	40	45	22	10/10				
	2	265	45	50	30	25/25	16/16	16	16	
	2,5	310	58	65	37	35/35	25/25	35	16 - 35	
	3	355	70	80	42	50/50	50/25	50	35 - 50	
	4	430	90	98	52	95/95	70/35	95	50 - 95	
	5	550	110	120	62	150/150	120/70	120	95 - 120	
	6	660	145	165	80	240/240	240/120	240	120 - 240	
	8	1100	150	190	90	400/400	300/150	400	300 - 400	




M-Euroline




					1x	2x	3x	4x	
	L mm	D mm	H mm	max. Ø mm	mm²				
M	11	190	36	50	26	50	10	10	6
	12	260	47	63	34	150	25	25	16
	13 S	310	55	68	43	240	35	35	25
	13	360	55	75	43	400	50	50	35
	14 S	350	70	95	48	630	70	70	50
	14	400	70	95	48	630	95	95	70
	15	530	100	120	63	1000	150	150	120
	16	700	125	160	81		240	240	185
	17	900	150	190	90		300	400	240




					5x	4x	4x	
M	11	190	36	50	26	10/10		4
	12	260	47	63	34	25/25	16/16	10
	13 S	310	55	68	43	35/35	25/16	25
	13	360	55	75	43	50/50	25/16	35
	14 S	350	70	95	48	70/70	50/50	50
	14	400	70	95	48	95/95	50/50	70
	15	530	100	120	63	150/150	120/70	120
	16	700	125	160	81	240/120	185/70	240
	17	900	150	190	90	300/300	240/120	240




M...V-Euroline





	L mm	D mm	H mm	max. Ø mm	mm ²		
M	11 V	190	36	50	26	1.5 - 6	1.5 - 6
	12 V	260	47	63	34	10 - 16	10 - 16
	13 SV	310	55	68	43	16 - 25	16 - 25
	13 V	360	55	75	43	25 - 35	25 - 35
	14 V	400	70	95	48	50 - 70	50 - 70




	L mm	D mm	H mm	max. Ø mm	mm ²	
M	11 V	190	36	50	26	1.5/1.5 - 6/6
	12 V	260	47	63	34	10/10 - 16/16
	13 SV	310	55	68	43	16/16 - 25/25
	13 V	360	55	75	43	25/25 - 35/35
	14 V	400	70	95	48	50/50 - 70/70



T




		L mm	B mm	D mm	max. Ø mm	max. mm ²					
						X	Y	X	Y	X	Y
T	1	240	138	50	22	10	10	6	6	4	4
	2	267	154	60	30	25	25	16	10	10	10
	2.5	310	183	75	37	50	50	35	16	16	10
	3	354	212	90	42	70	70	50	25	25	16
	4	432	262	110	52	120	120	95	50	50	
	5	550	290	130	62	185	150	185	150	120	




		L mm	B mm	D mm	max. Ø mm	max. mm ²			
						X	Y	X	Y
T	1	240	138	50	22	6/6	6/6		
	2	267	154	60	30	16/16	10/10	16/16	16/16
	2.5	310	183	75	37	35/35	16/16	35/16	25/16
	3	354	212	90	42	50/50	25/25	50/25	35/16
	4	432	262	110	52	95/95	50/50	95/50	70/35
	5	550	290	130	62	185/185	70/70	150/70	95/50




T...V AK




		L mm	B mm	D mm	max. Ø mm	mm ²			
						X	Y	X	Y
T	1 V AK	240	138	50	22	1.5 - 6	1.5 - 6	1.5 - 6	1.5 - 6
	2 V AK	267	154	60	30	4 - 16	4 - 16	4 - 16	4 - 16
	2.5 V AK	310	183	75	37	6 - 25	6 - 16	6 - 25	6 - 16





Y



		L mm	B mm	D mm	max. Ø mm		max. mm ²					
					K	K1	X	Y	X	Y	X	Y
Y	00	150	75	38	19	19	4	2.5	4	2.5	4	2.5
	0	185	80	45	17	17	6	6	6	6	6	6
	1	240	110	60	22	22	10	10	10	10	10	10
	2	285	120	65	34	30	25	25	25	25	25	25
	3	240	145	100	42	37	50	25	50	35	25	25
	3.5	300	150	110	54	38	70	25	50	35	35	35
	4	285	170	110	53	37	95	35	95	50	50	35
	4.5	335	193	120	56	42	150	70	150	70	120	70
	5	382	220	140	62	52	240	150	240	95	150	95
	6	570	275	180	90	80	300	240	300	185	150	150




3x


		L mm	B mm	D mm	max. Ø mm		max. mm ²	
					K	K1	X	Y
	0	185	80	45	17	17	6/6	6/6
	1	240	110	60	22	22	10/10	10/10
	2	285	120	65	37	33	16/16	10/10
	3	240	145	100	42	37	25/25	16/16
	3.5	300	150	110	54	38	35/35	25/25
	4	285	170	110	53	37	70/70	25/25
	4.5	335	193	120	56	42	120/120	95/95
	5	382	220	140	62	52	150/150	95/95
	6	570	275	180	90	80	240/120	185/95

40


INSTALLER'S SPECIAL




Y...V AK




		L mm	B mm	D mm	max. Ø mm	mm ²			
						X	Y	X	Y
Y	0 V AK	185	80	45	17	1.5 - 4	1.5 - 4	1.5 - 4	1.5 - 4
	1 V AK	240	110	60	22	2.5 - 6	2.5 - 6	2.5 - 6	2.5 - 6
	2 V AK	285	120	65	33	4 - 16	4 - 16	4 - 16	4 - 16





Universal Box CG

		L mm	B mm	H mm	max. Ø K mm	mm ²
Universal Box CG	250 ml	85	85	45	15	0.5 - 2.5





EG

	ml	
EG	80	
	143	
	286	
	370	
	464	
	730	
	1000	
	1150	
	1500	
	2000	




		ml	
CG	143	143	
	250	250	
	730	730	
	1000	1000	
	2000	2000	




					 3x	 4x	 5x
		L mm	B mm	H mm	mm²		
EASY	2 V	86	47	27	1.5 - 2.5		
	3 V	146	55	35	1.5 - 6	1.5 - 6	1.5 - 6
	4 V	180	69	40	6 - 16	6 - 16	6 - 16
	5 V	240	75	44	16 - 25	16 - 25	16 - 25

										
				3x			4x			5x
		L	B	H	mm ²					
		mm	mm	mm	X	Y	X	Y	X	Y
EASY	6 V	220	110	53	6 - 16	2.5 - 16	6 - 16	2.5 - 16	6 - 16	2.5 - 16
	7 V	260	130	65	16 - 35	2.5 - 35	16 - 35	2.5 - 35	16 - 35	2.5 - 35





				 3x	 4x	 5x
	L mm	B mm	H mm	mm ²		
EASY	2	86	47	27	1.5 - 2.5	
	3	146	55	35	1.5 - 6	1.5 - 6
	4	180	69	40	6 - 16	6 - 16
	5	240	75	44	16 - 25	16 - 25





Power Gel


	ml		
Power Gel	400		
	1000		





CSV-T



		L mm	L1 mm	B mm	D mm	D1 mm
CSV-T	6-50	45	21	18	9.2	11.0
	16-95	60	28	24	12.5	16.0
	50-150	70	33	28	16.0	21.0
	95-240	120	58	35	20.0	27.0
	240-400	150	73	42	26.0	30.0





CSK

	L mm	L1 mm	D mm	D1 mm	D2 mm
CSK	6-50	65	30	22	13
	16-95	65	30	22	13
	50-150	80	35	28	13
	95-240	110	60	33	13
	95-240 DM17	110	60	33	13
	240-400	135	75	40	17







Premio 233

CELLPACK
Electrical Products

	L m	B mm	D mm
Premio 233	6	19	0.18
	20	19	0.18
	33	19	0.18



Premio 235

	L m	B mm	D mm
Premio 235	20	19	0.18



Premio 388

CELLPACK
Electrical Products

	L m	B mm	D mm
Premio 388	6	19	0.18
	20	19	0.18



No. 128

	L m	B mm	D mm	
No. 128	10	15	0.15	1, 2
	10	19	0.15	1, 2
	25	19	0.15	1, 2
	25	25	0.15	1, 2
	25	30	0.15	1, 2
	25	38	0.15	1
	25	50	0.15	1



	L m	B mm	D mm
KRS	10	50	0.5



UNIVERSAL CLEANER 121

	ml
UNIVERSAL CLEANER 121	400 1000 5000 20000



ZINC SPRAY 171


CELLPACK
Electrical Products

	ml
ZINC SPRAY 171	400



CABLE GLISS

	ml
CABLE GLISS	400



EASY-GLIDE

CELLPACK
Electrical Products

	ml
EASY-GLIDE	250
	1050
	5000



LG


	ml
LG	250 500



DUCT SEAL

CELLPACK
Electrical Products

	kg
DUCT SEAL	0.454 2.5



EASY-CLEAN

		Content pieces
EASY-CLEAN	Plastic dispenser	72
	Sales display	40



INTERNATIONAL SALES ORGANISATIONS

Europe

Cellpack AG
Electrical Products
Anglikerstrasse 99
5612 Villmergen
Schweiz
Tel. +41 56 6181 234
Fax +41 56 6181 245
verkauf.epschweiz@cellpack.com

Cellpack GmbH
Electrical Products
Carl-Zeiss-Straße 20
79761 Waldshut-Tiengen
Deutschland
Tel. +49 7741 6007-0
Fax +49 7741 64989
electrical.products@cellpack.com

Cellpack Benelux B.V.
Keersluisweg 13
1332 EE Almere Buiten
Nederland
Tel. +31 36 549 03 36
Fax +31 36 532 74 99
info@cellpack.nl

Cellpack Polska Sp. z o.o.
ul. Matuszewska 14,
03-876 Warszawa
Polska
Tel. +48 22 853 53 54
Fax +48 22 853 53 56
biuro@cellpack.pl

Cellpack Italia Srl
Via Petrarca, 2
22100 Como
Italia
Tel. +39 349 903 41 61
epitalia@cellpack.com

Behr Bircher Cellpack
Ibérica, S.A.
C/. Mas Pujol, nr. 47 – Nave 4
Pol. Ind. Sector V
08520 – Les Franqueses del Vallès
Barcelona – España
Tel. +34 93 846 63 76
Fax +34 93 849 12 06
comercial@cellpackiberica.com

Behr Bircher Cellpack
BBC France s.à.r.l.
277, Boulevard des Technologies
54710 Ludres
France
Tel. +33.3.83.25.60.07
Fax +33.3.83.25.88.27
info@cellpack-ep.fr

International Distributors

Cellpack AG
Electrical Products
Anglikerstrasse 99
5612 Villmergen
Schweiz
Tel. +41 56 6181 818
Fax +41 56 6181 245
EPSalesExport@cellpack.com

Middle East

Behr Bircher Cellpack
BBC AG DMCC Branch
Jumeirah Lakes Towers
Dubai, UAE
Tel. +971 50 952 28 00
EPSalesME@cellpack.com

Asia Pacific

Cellpack Far East Pte Ltd
128 Joo Seng Road # 06 – 01
Singapore 368356
Tel. +65 6747 7024
Fax +65 6841 4554
info@cellpack.com.sg

Behr Bircher Cellpack
BBC Malaysia Sdn. Bhd.
No 17, Jalan Laman Setia 7/3
Setia Business Park
81550 Gelang Patah
Johor
Malaysia
Tel. +607 559 0570
Fax +607 559 0571
info@cellpack.com.my
www.cellpack.com.my

Behr Bircher Cellpack
BBC Australia Pty Ltd
PO Box 73
Oakdale, NSW, 2570
Australia
Tel. +61 407 103 621
Fax +61 2 4659 6531
New Zealand
Tel. +64 21 591 960
Fax +64 9 436 0897
salesanz@cellpack.com



Further information
on our products:
electricalproducts.cellpack.com

www.cellpack.com

We connect your energy

CELLPACK
Electrical Products

a BBC group company